



Front Load Perfect Steam TM Electric Dryer with Balanced Dry TM and Instant Refresh – 8.0 Cu. Ft.

Drye

Available Products: ELFE773CAA, ELFE773CAW

Available Colors: Alpine Green, White

Version: 07/24

Product Specifications

Dryer		Dryer Cycles	
Air Flow	200 CFM	Cycle Count	11
Balanced Dry	Yes	Activewear	Yes
Drum Back Type	Painted Steel	Air Dry	Yes
Drum Material	Stainless Steel	Allergen	Yes
Oryness Level Selections	Yes	Delicates	Yes
int Filter	Yes	Séchage rapide	Yes
Predictive Dry	Yes	Heavy Duty	Yes
		Mixed Load	Yes
Oryer Options		Normal	Yes
Anti Static	Yes	Timed Dry Time	Yes
Delay Start Time	1-12 Hours	Towels	Yes
Drum Light	Yes	Wear it Again	Yes
Dry Boost	Yes		
Extended Tumble	Yes	Drying Temperatures	
Perfect Steam	Yes	Low	Yes
Wrinkle Release	Yes	Normal	Yes
		High	Yes
Oryness Level		Sanitize	Yes
Max	Yes	Eco Dry	Yes
High	Yes		
Normal	Yes	Controls	
LOW	Yes	Cancel	Yes
Damp	Yes	Cycle Status Lights	Yes
		Delay Start	Yes
Exterior		Estimated Time Remaining	Yes
Door Latch	Yes	Control Lock	Yes
Reversible Door	Yes	Pause Function	Yes
teversione Boor	100	Power On/Off	Yes
Electrical Specifications		Start	Yes
Minimum Circuit Required	30 Amps		
Voltage Rating	208/240v	Dimensions and Volume	
voluge runing	200/2401	Height	38"
Installation		Width	27"
Optional Pedestal	Yes	Depth	32"
Power Cord Included	Yes	Dryer Drum Capacity	8 Cu. Ft.
	Yes Vented	Dry Linen Capacity Tested Amount	11.5 kg
Ventilation Type	vented		11.0 %
Performance Certifications and Ap	provale	Energy Data	
ENERGY STAR Certified	Yes	Combined Energy Factor (CEF)	3.48
ENERG I STAR CERTIFO	162	kWh/cycle	2.5 kWh

Front Load Perfect SteamTM Electric Dryer with Balanced
DryTM and Instant Refresh – 8.0 Cu. Ft.

Available Products: ELFE773CAA, ELFE773CAW
Available Colors: Alpine Green, White

Version: 07/24

Chime On / Chime Off	Yes	
Leveling Legs	Yes	
Prop 65 Label	No	
Warranty - Labor	1 Year	
Warranty - Parts	1 Year	

 Dry^{TM} and Instant Refresh – 8.0 Cu. Ft.

Dryer


Available Products: ELFE773CAA, ELFE773CAW

Available Colors: Alpine Green, White

Version: 07/24

Installation Diagram

Dryer dimensions



- * Connection of water inlet hose on steam dryer adds 3/4 in. (2 cm) to installation depth.
- Power supply cord length on gas dryer or electric Canadian dryer approximately 60 inches (152.5 cm).
- ² Drain hose length on washer approximately 59 inches (150 cm).
- ³ Power supply cord length on washer approximately 60 inches (152.5 cm).