



Laundry Tower Single Unit Front Load 5.2 Cu. Ft. I.E.C Washer and 8 Cu. $\,$

Ft. Electric Dryer

Laundry Tower

Available Products: ELTE760CAT, ELTE760CAW

Available Colors: Titanium, White

Version: 06/24

Product Specifications

	Washer Cycles	
Yes	Cycle Count	8
Stainless Steel	Activewear	Yes
1300 RPM	Clean Washer	Yes
Yes	Delicates	Yes
Yes	Fast Wash	Yes
	Heavy Duty	Yes
	Normal	Yes
Yes	Optic Whites	Yes
1-12 Hours	Rinse and Spin	Yes
	<u>-</u>	
	Soil Levels	
		Yes
100		Yes
		Yes
Δ		Yes
	232 004	100
	Dryer	
		Yes
		Painted Steel
163		Stainless Steel
		Yes
		Yes
		Yes
	Mioisture Sensor	res
	B O :!	
Yes		
		1-12 Hours
		Yes
Yes		Yes
		Yes
		Yes
Yes	Wrinkle Release	Yes
Yes		
	Dryness Level	
	High	Yes
8	Normal	Yes
Yes	Low	Yes
Yes	Damp	Yes
Yes		
Yes	Exterior	
	Door Latch	Yes
		Yes
162		
	Stainless Steel 1300 RPM Yes Yes	Yes Cycle Count Stainless Steel Activewear 1300 RPM Clean Washer Yes Delicates Fast Wash Heavy Duty Normal Optic Whites 1-12 Hours Rinse and Spin Yes Soil Levels Yes Light Normal Heavy Yes Solid Soil Yes Dryer Yes Balanced Dry Yes Drum Back Type Drum Material Dryness Level Selections Lint Filter Moisture Sensor Yes Dryer Options Delay Start Time Drum Light Dry Boost Extended Tumble Yes Perfect Steam Yes Wrinkle Release Yes Dryness Level High Normal Low Damp Yes Damp Yes Door Latch

Laundry Tower Single Unit Front Load 5.2 Cu. Ft. I.E.C

Washer and 8 Cu. Ft. Electric Dryer

Performance Certifications and Approvals

ENERGY STAR Certified

Laundry Tower

Available Products: ELTE760CAT, ELTE760CAW Available Colors: Titanium, White

Version: 06/24

Drying Temperatures		Electrical
Normal	Yes	Minimum Cir
High	Yes	Minimum Cir
Sanitize	Yes	Voltage Ratin
Eco Dry	Yes	Voltage Ratin
Controls		Installation
Cancel	Yes	Dryer Power (
Child Lock	Yes	Washer Power
Cycle Status Lights	Yes	Ventilation Ty
Delay Start	Yes	
Estimated Time Remaining	Yes	Certificati
Control Lock	Yes	ADA Complia
How to Cancel	Key Combination	
Pause Function	Yes	
Power On/Off	Yes	
Start	Yes	
Dimensions and Volume		
Height	76 1/4"	
Width	27"	
Depth	32"	
Minimum Depth for Installation	36"	
Dryer Drum Capacity	8 Cu. Ft.	
Dry Linen Capacity Tested Amount	11.5 kg	
Energy Data		
Energy Efficiency	Tier 2	
kWh/year	85 kWh	
Water Usage/Year	4248 Gallons	
General Specifications		
Chime On / Chime Off	Yes	
Leveling Legs	Yes	
Prop 65 Label	Yes	
Warranty - Labor	1 Year	
Warranty - Motor	10 Years	
Warranty - Parts	1 Year	
Warranty - Tub	Lifetime	

Tier 2

Yes

Electrical Specifications		
Minimum Circuit Required (Dryer)	30 Amps	
Minimum Circuit Required (Washing Machine)	15 Amps	
Voltage Rating (Dryer)	208/240v	
Voltage Rating (Washing Machine)	120v	
Installation Dryer Power Cord Included	Yes	
Washer Power Cord Included	Yes	
	Yes Vented	

Laundry Tower Single Unit Front Load 5.2 Cu. Ft. I.E.C

Washer and 8 Cu. Ft. Electric Dryer


Laundry Tower

Available Products: ELTE760CAT, ELTE760CAW Available Colors: Titanium, White

Version: 06/24

Installation Diagram

Laundry Center Dimensions



Dryer electrical supply on rear of unit.



NOTE

- Allow minimum 36" of depth space for proper installation with 90° quick turn elbow for venting.
- Connection of water inlet hose on steam laundry center adds 3/4 in. (2 cm) to installation depth.
- · Power supply cord length on washer approximately 60 inches (152.5 cm).
- Drain hose length on washer approximately 59 inches (150 cm).
- Power supply cord length on gas laundry center or electric Canadian laundry center approximately 60 inches (152.5 cm).

Laundry Center Dimensions		
1.	Unit width	27" (69 cm)
2.	Height to gas supply pipe on rear of gas unit	39.7" (101 cm)
3.	Centerline height for rear vent	41.8" (106 cm)
4.	Floor line	-77
5.	Unit height	76.3" (194 cm)
6.	Door clearance	53.9" (137 cm)
7.	Unit depth	31.9" (81 cm)
8.	Width distance to water connections	7.8" (20 cm)
9.	Height to water connections	35.7" (91 cm)
10.	Height to washer power connections	35.5" (91 cm)
11.	Width distance to washer power connections	7.1" (18 cm)
12.	Height to dryer electrical supply	48" (122 cm)