### **Inclined Series Range Hood**





### Color and Width Variations



### **Main Features**

# All-New VentiCore™ System, Powerful, Quiet, Reliable

Equipped with a 320W high-efficiency BLDC motor featuring a biomimetic winged impeller and Nautilus-inspired volute. Delivers HVI-standard 669 CFM airflow while keeping noise as low as 1.1 sone—quickly clearing smoke for a quiet, comfortable kitchen.

# 1,030Pa High Static Pressure, Effortless Duct Management

Industry-leading 1,030Pa static pressure (a 257% boost over the previous generation) ensures smooth smoke extraction even through complex, extended, or bent ducts. Enjoy consistently powerful ventilation for any cooking setup.

#### Wi-Fi Smart Control, Simple and Seamless

Connect via Wi-Fi for seamless smartphone control. Fully compatible with Amazon Alexa and Google Assistant, enabling simple voice commands to adjust fan speed or activate ventilation remotely.

#### Three Timeless Colors, Style for Any Kitchen

Available in Onyx Black, Elegant White, and MoonShadow Grey, the sleek, hidden-control panel blends seamlessly with any modern kitchen décor.







#### **Dual Natural Lighting, Brighter Cooking View**

Integrated dual LED lights provide up to 500 lux brightness, evenly illuminating the cooking area. With natural daylight color, your dishes look vivid and true-to-life even in dim environments.

#### Thoughtful Design, Easy Cleaning, Less Hassle

A 5° golden drainage angle with a hidden push-rod structure prevents oil buildup in hard-to-reach spots. The segmented clip-on oil filter and large-capacity oil cup are dishwasher-safe, making cleaning simple and stress-free.















## **Inclined Series Range Hood**



### **Specifications**













JQG7515-Y

JQG9015-Y

JQG7515-W

JQG9015-W

JQG7515 JC

| JQG9015 |  |
|---------|--|
|---------|--|

| Style and Design  | MONS      |  |                |               |                |            |  |
|-------------------|-----------|--|----------------|---------------|----------------|------------|--|
| Color             | MOONSHAI  | MOONSHADOW Grey                                    |                | Elegant White |                | Onyx Black |  |
| Material          | Anti-glar | e Glass  | Tempered Glass |               | Tempered Glass |            |  |
| Width             | 30"       | 36"  | 30"            | 36"           | 30"            | 36"        |  |
| Installation      |           | Under Cabinet or Wall Mount                        |                |               |                |            |  |
| Operation         |           | Motion+Touch+Wi-Fi+SynCook™ *                      |                |               |                |            |  |
| Screen Lock       |           | Yes  |                |               |                |            |  |
| Delay Shutoff     |           | 5 min  |                |               |                |            |  |
| Wi-Fi             |           | FOTILE CONNECT App, Amazon Alexa, Google Assistant |                |               |                |            |  |
| Illumination      |           | 3W × 2 (LED), 500 lux                              |                |               |                |            |  |
| Grease Cup&Filter |           | Oversized Oil Cup+Dishwasher Safe Grease Filter    |                |               |                |            |  |

| Performance                 |                                   |
|-----------------------------|-----------------------------------|
| Motor                       | VentiCore™ BLDC Motor             |
| Speed Setting               | 4(Low/Middle/High/Stir Fry)       |
| Max Equiv. CFM**            | 1,250                             |
| Air Flow(CFM)(HVI-916)      | 244 / 403 / 564 / 669             |
| Noise Level(sones)(HVI-915) | 1.1 / 3 / 5.5 / 7                 |
| Noise Level(dB)             | 37.3 / 45.7 / 52.8 / 55.9         |
| Max Static Pressure(Pa)     | 1,030                             |
| Cooktop Surface Coverage    | 30": 6.5 sq.ft.   36": 7.5 sq.ft. |
| Grease Filtration Rate      | 95.4%                             |
| Odor Reduction Rate         | 98.6%                             |

| Technical Specs    |          |  |  |  |
|--------------------|----------|--|--|--|
| Wattage(W)         | 320      |  |  |  |
| Power Supply(V/Hz) | 120/60   |  |  |  |
| Vertical Duct      | 6" Round |  |  |  |

| Warranty Summary |                   |
|------------------|-------------------|
| Labor            | 2 Years           |
| Parts            | 5 Years(Limited)  |
| Motor            | Lifetime(Limited) |


<sup>\*</sup>This feature is available with any FOTILE cooktop or range that features SynCook™ CONNECT.

<sup>\*\*</sup>FOTILE Equivalent CFM is a higher CFM rating due to our filterless technology that combines VentiCore<sup>TM</sup> System and Capture-Shield design. By utilizing this technology, FOTILE applies 4 patented technologies and the Coanda Effect. This enables FOTILE to cover a larger cooktop surface and achieve high oil filtration rate and odor reduction rate, keeping your kitchen smoke free and smelling fresh.

## **Inclined Series Range Hood**



### **Product Dimensions**



| Dimension / Weight     |                |                |  |
|------------------------|----------------|----------------|--|
|                        | JQG7515 Series | JQG9015 Series |  |
| Overall Width          | 29 7/8"        | 35 7/8"        |  |
| Overall Height         | 17 7/16"       |                |  |
| Overall Depth          | 18 1/2"        |                |  |
| Net Weight (approx.)   | 55.6lbs        | 63.1lbs        |  |
| Gross Weight (approx.) | 70.0lbs        | 79.0lbs        |  |

| Decorative Plate | 4" / 6"                     |
|------------------|-----------------------------|
|                  |                             |
| 30               | Stainless steel/ Black/     |
|                  | MOONSHADOW Grey color       |
|                  | for adjusting under cabinet |

Ceiling Decorative Cover 8' / 9' / 10'



Accessories (Optional)

Stainless steel/
MOONSHADOW Grey color
Extension decorative cover
for wall-mount installation,
suitable for 8-10ft ceilings


installation height


Backdraft Damper 6"



Backdraft Damper
Prevents the loss of
conditioned air when the
kitchen ventilation connects
to the exterior.

### **Installation Dimensions**





Under-Cabinet Installation

Accessories: To purchase FOTILE accessories and parts, please visit us at ca.fotileglobal.com.

**Notes:** All height, width, and depth dimensions are shown in inches. Information is subject to change. Please refer to the FOTILE website for the most up-to-date information. **Warranties:** Please see the user manual or FOTILE website for the statement of limited warranty.

For more information on our entire line of products: visit ca.fotileglobal.com.

 $\hbox{@2025 FOTILE Canada LLC. All rights reserved. FOTILE is a registered trademark of FOTILE Group.}\\$ 

### 侧吸系列油烟机





### 颜色及尺寸选择

30"/36" 玥影灰

30" / 36" 玛瑙黑


30"/36" 典雅白





#### 全新劲核风机系统,性能全面升级

搭载320 W高效无刷直流电机,结合仿生翼型叶轮与鹦鹉螺风道设计,实现669 CFM(HVI标准)强劲风量,运行噪音低至 1.1 sone。爆炒也能快速排烟,让厨房安静舒适。



行业领先的超高静压,比上一代提升257%。无论烟道曲折还是加长,依然保持顺畅排烟,烹饪体验始终轻松自在。

#### Wi-Fi智控,语音轻松掌控

支持Wi-Fi连接,手机即可远程操控。兼容Alexa和Google Assistant,一句语音即可开关或调节风速,烹饪更便捷。

#### 三种经典配色,轻松搭配任意厨房

<mark>玛瑙黑、典雅白、玥影灰三款经典色系</mark>,随心匹配不同厨房 风格。静息状态下功能按键隐匿,面板机身浑然一体,精致 优雅。



#### 双灯自然光照明,清晰烹饪视野

内置<mark>双LED灯</mark>,亮度高达500 lux,均匀覆盖整个灶台。自然光色温,呈现食材真实色泽,即使在昏暗环境下,依然清晰明亮。

#### 多重贴心设计,清洁轻松无忧

采用5°黄金导流角+隐藏式推杆结构,有效避免积油死角。分段式卡扣油网及大容量集油杯,支持轻松拆卸&洗碗机清洗,日常维护更轻松。















## 侧吸系列油烟机



### 产品参数













| 1/   | $\sim$ | 7 - 4 | _ \  |
|------|--------|-------|------|
| . 10 | "      | 751   | ∣5-Y |
|      |        |       |      |

JQG9015-Y

JQG7515-W

JQG9015-W

JQG7515

JQG9015

|                         | 000.70.70                       |                       | 000701011       | 0QQ3013-W      | 0007515        | uQQ301 |
|-------------------------|---------------------------------|-----------------------|-----------------|----------------|----------------|--------|
| 风格与设计                   | MONS<br>Colle                   | HADOW                 |                 |                |                |        |
| 颜色                      | 玥颢                              | 影灰                    | 典羽              | 准白             | 玛瑙             | 黑      |
| 材料                      | 磨砂防指                            | 纹AG玻璃                 | 钢化              | 玻璃             | 钢化:            | 玻璃     |
| 尺寸                      | 30"                             | 36"                   | 30"             | 36"            | 30"            | 36"    |
| 安装方式                    |                                 |                       | 柜下              | <b></b>        |                |        |
| 操作方式                    |                                 | 捏                     | 手开启+触控+\        | Wi-Fi+烟烹联动     | )*             |        |
| 屏幕锁                     |                                 |                       | 支               | .持             |                |        |
| 延时功能                    |                                 |                       | 5 <del>5.</del> | <b>〉</b> 钟     |                |        |
| Wi-Fi                   | F                               | OTILE CONN            | IECT App, Am    | azon Alexa, Go | oogle Assistar | nt     |
| 照明                      |                                 |                       | 3W×2 (LE        | D), 500 lux    |                |        |
| 油杯、油网                   |                                 | 可拆                    | 卸大容量油杯+         | 易拆卸、可机洗        | 油网             |        |
| 性能                      |                                 |                       |                 |                |                |        |
| 电机                      |                                 |                       | 劲核无刷            | 直流电机           |                |        |
| 风量档位                    |                                 |                       | 4 (低/中/         | (高/爆炒 )        |                |        |
| 最大等效风量(CFM )**          |                                 |                       | 1,2             | 250            |                |        |
| 风量(CFM )( HVI-916 )     |                                 | 244 / 403 / 564 / 669 |                 |                |                |        |
| 噪音 ( sones )( HVI-915 ) | 1.1/3/5.5/7                     |                       |                 |                |                |        |
| 噪音 (dB)                 |                                 |                       | 37.3 / 45.7     | / 52.8 / 55.9  |                |        |
| 最大静压 (Pa)               | 1,030                           |                       |                 |                |                |        |
| 拢烟面积                    | 30": 6.5sq.ft.   36": 7.5sq.ft. |                       |                 |                |                |        |
| 油脂分离率                   | 95.4%                           |                       |                 |                |                |        |
| 气味降低度                   | 98.6%                           |                       |                 |                |                |        |
| 技术参数                    |                                 |                       |                 |                |                |        |
| 整机功率 (W)                |                                 |                       | 3               | 20             |                |        |
| 电源 (V/Hz)               | 120/60                          |                       |                 |                |                |        |
| 出风口尺寸                   | 顶出 6"圆形口                        |                       |                 |                |                |        |
| 质保                      |                                 |                       |                 |                |                |        |
| 人工                      |                                 |                       | 2               | <br>?年         |                |        |
| 零部件                     |                                 |                       |                 | <br>「限质保 )     |                |        |
| 电机                      |                                 |                       |                 | 可限质保)          |                |        |


<sup>\*</sup>此功能适用于所有支持 SynCook™CONNECT 烟灶联动的方太灶具与灶烤。

<sup>\*\*</sup>关于Equivalent(等效)CFM,Fotile 等效 CFM 是更高的 CFM 等级,得益于我们独有的先进技术——将 VentiCore™ 系统 与 Capture-Shield 设计相结合,方太实现了更高的等效风量表现。通过应用 4项专利技术以及科恩达效应(Coanda Effect),方太能够覆盖更大范围的灶台面积,并实现更高的油烟捕集率与气味降低度。

## 侧吸系列油烟机



### 产品尺寸



| 产品尺寸及重量 |                 |           |  |
|---------|-----------------|-----------|--|
|         | JQG7515系列       | JQG9015系列 |  |
| 整机宽度    | 29 7/8" 35 7/8" |           |  |
| 整机高度    | 17 7/16"        |           |  |
| 整机深度    | 18 1/2"         |           |  |
| 净重      | 55.6lbs 63.1lbs |           |  |
| 毛重      | 70.0lbs         | 79.0lbs   |  |

| 即任(可处) |        |
|--------|--------|
| 柜下装饰板  | 4"/ 6" |
|        |        |



和性(可供)

不锈钢或黑色或玥影灰 装饰板 用于调整柜下式安装的 高度

| 8' / 9' / 10' |
|---------------|
|               |




不锈钢或玥影灰 加长装饰罩 适用于壁挂式安装 适合 8-10ft 天花板高度


| 止逆阀 | 6" |
|-----|----|
|     |    |



止逆阀 厨房内部空气与外部连通时, 防止冷气或暖气外逸

### 安装尺寸图





柜下安装

配件: 如需购买FOTILE方太配件和零件,请查询官网ca.fotileglobal.com。

备注: 产品信息可能会有所变动,请以方太官网发布的最新信息为准。

保修: 有关有限保修声明,请参阅用户手册或方太网站。

如需了解更多关于方太全系列产品的信息: 请访问ca.fotileglobal.com。 ©2025 FOTILE Canada. 版权所有。 FOTILE是方太集团的注册商标。