

Aesthetics			
Model		RES30552	RES30551
Power Supply		120/240VAC 13.6 kW 40A 120/208VAC 10.2 kW 40A	120/240VAC 13.0 kW 40A 120/208VAC 9.8 kW 40A
Anti-Fingerproof		N	N
Burners	Illuminated Knobs	Y	N
	Burners Btus	5(9.1kW)	5(8.5kW)
	Tri-ring	RF: 12"/9"/6" 3.6kW/2.3kW/1.2kW	/
	Dual-ring	LF: 10"/6" 3.0kW/1.8kW	RF: 10"/6" 3.0kW/1.8kW LF: 10"/6" 3.0kW/1.8kW
	Single	LR: 6" 1.2kW	LR: 6" 1.2kW
	Single	RR: 6" 1.2kW	RR: 6" 1.2kW
	Warming	M: 6" 100W warming	M: 6" 100W warming

	Burner Layout		
Oven Heating Elements	Conv.	2.2kW	2.2kW
	Broil	4.0 kW (12-pass)	4.0 kW (12-pass)
	Bake	2.0 kW (8-pass)	2.0 kW (8-pass)
	cu.ft.	5.7	5.7
Oven Functions	FreshBake™	Y	N
	Proof	Y	Y
	Warm	Y	Y
	Bake	Y	Y
	Broil	Hi/Lo	Hi/Lo
	Conv.Broil	Y	Y
	Conv.Bake	Y	Y
	Conv.Roast	Y	Y
	Temp. Probe	N	N
	Air Fry	Y	Y
	Steam Bake	N	N
	Quick Preheat	Y	Y
	Sabbath Mode	Y	Y

Settings	Delay Start	Y	Y
	Timer	Y	Y
	Lock	All-Lock(both cooktop and oven)	All-Lock(both cooktop and oven)
	Hour Mode	12hs/24hs	12hs/24hs
	Fahrenheit or Celsius	Y	Y
Clean	Self-clean	Y	Y
	Steam clean	Y	Y
	Detachable rear vent cover	Y(Dishwasher Safe)	Y(Dishwasher Safe)
Oven Racks		7	7
Residual Heat Indicator		LED Light Strip(top surface)	Red Dot Light(front)
Insulated Door Glasses		4 layers with 2 LOW-E Glass	4 layers with 2 LOW-E Glass
Oven Light		Dual	Dual
Drawer		Storage Drawer(toekick) 0.7cu.ft.	Storage Drawer 0.7cu.ft.
Accessory		1 glide+1 air fry tray+2 racks	1 glide+1 air fry tray+1 rack
Wifi		N	N
SynCook™ with range hood		Y(with FOTILE range hood)	Y(with FOTILE range hood)
Warranty		3-Year Limited Warranty 1-Year Labor, 3-Year Parts	3-Year Limited Warranty 1-Year Labor, 3-Year Parts
Product Dimensions		29 15/16(W) x 30 3/16(D) x 35 7/8(H)	29 15/16(W) x 30 3/16(D) x 35 7/8(H)
Carton Dimensions		34 1/16(W) x 29 15/16(D) x 45 5/16(H)	34 1/16(W) x 29 15/16(D) x 45 5/16(H)
Net Weight		221.8 lbs	216.7 lbs
Gross Weight		244.3 lbs	239.2 lbs
UPC NO.		850043475477	850043475460